



more than
kitchen



Collection 2019
MORE THAN A KITCHEN

nobilia


9 New fronts

Fronts
New features 2019



Range no. 351

SPEED 288 PG 1
Black Concrete reproduction
Matching surround:
worktop, upright panels, plinth




Range no. 371

RIVA 887 PG 2
Somerset oak reproduction
Matching surround:
worktop, upright panels, plinth



Range no. 371

RIVA 888 PG 2
Dakota oak reproduction
Matching surround:
worktop, upright panels, plinth



Range no. 382

STRUCTURA 402 PG 3
Havana oak reproduction



Range no. 317

TOUCH 341 PG 3
Lacquered laminate,
stone grey supermatt



Range no. 648

FLASH 503 PG 3
Lacquered laminate,
alpine white high gloss



Range no. 566

STONEART 304 PG 4
Stone grey slate
reproduction
Matching surround:
Xtra worktop, upright panels,
plinth



Range no. 808

INOX 216 PG 4
Lacquered laminate,
brushed steel reproduction
Matching surround:
upright panels, plinth



Range no. 684

CASCADA 772 PG 7
Lacquered laminate,
stone grey
Matching surround in
cottage style:
pilaster, cornice KLHC

On-trend industrial look for Speed

Fronts
New features 2019



Range no. 351

SPEED 288 PG 1

Black Concrete reproduction

Matching surround:
worktop, upright panels, plinth

SPEED 288

Black Concrete reproduction

CARCASE 194

Slate grey


WORKTOP, UPRIGHT PANELS & PLINTH 378

Black Concrete reproduction



Elegant, modern wood look for RIVA

Fronts
New features 2019



Range no. 371

RIVA 887 PG 2

Somerset oak reproduction

Matching surround:
worktop, upright panels, plinth



Range no. 371

RIVA 888 PG 2

Dakota oak reproduction

Matching surround:
worktop, upright panels, plinth

RIVA 887
Somerset oak reproduction


**WORKTOP,
UPRIGHT PANELS & PLINTH 379**
Somerset oak reproduction

LINE N RECESSED HANDLE 017
Black



Inviting addition to Structura

Fronts
New features 2019



Range no. 382

STRUCTURA 402 PG 3
Havana oak reproduction

STRUCTURA 402
Havana oak reproduction

**CARCASE, WORKTOP &
UPRIGHT PANELS 097**
Havana oak reproduction





Range no. 317

TOUCH 341

PG 3

Lacquered laminate,
stone grey supermatt

TOUCH 341

Lacquered laminate,
stone grey supermatt

CARCASE & WORKTOP 089

Stone grey

UPRIGHT PANEL COLOUR 341

Lacquered laminate,
stone grey supermatt



Expansion with best-seller potential: FLASH in Alpine white

Fronts
New features 2019



Range no. 684

FLASH 503 PG 3

Lacquered laminate,
alpine white high gloss

FLASH 503

Lacquered laminate,
alpine white high gloss

COLOR CONCEPT 273

Carrara marble reproduction



Popular addition to STONEART

Fronts
New features 2019



Range no. 566

STONEART 304 PG 4

Stone grey slate reproduction

Matching surround:
Xtra worktop, upright panels,
plinth



With matching surrounding surfaces
369 Stone grey slate reproduction
(Xtra, décor group 2)

STONEART 304

Stone grey slate reproduction

CARCASE 089

Stone grey

XTRA WORKTOP & SURROUNDING SURFACES 369

Stone grey slate reproduction



Cool, professional look with INOX

Fronts
New features 2019



Range no. 808



INOX 216 PG 4

Lacquered laminate,
brushed steel reproduction

Matching surround:
upright panels, plinth

INOX 216
Lacquered laminate,
brushed steel reproduction

WORKTOP 378
Black Concrete reproduction

UPRIGHT PANEL COLOUR 216
Lacquered laminate, brushed steel



Modern classic with Cascada – also in XL size

Fronts
New features 2019



Range no. 684

CASCADA 772 PG 7

Lacquered laminate, stone grey

Matching surround:
in cottage style:
pilaster, cornice KLHC



Recommended pilaster:
772 Lacquered laminate,
stone grey



Recommended cornice profile:
KLHC

XL

CASCADA is also available as XL kitchen.
Cottage elements such as pilaster and cottage style shelf
units are thus also available as XL units for CASCADA.

CASCADA 772

Lacquered laminate, stone grey

CARCASE 089

Stone grey

XTRA WORKTOP 368

Mixedwood reproduction



CARCASE COLOURS



CARCASE COLOUR 089
Stone grey




CARCASE COLOUR 097
Havana oak reproduction

COLOR CONCEPT, PRICE GROUP 2



COLOR CONCEPT 273
Carrara marble reproduction



COLOR CONCEPT 274
Teramo marble reproduction



Addition of a surcharge for waterproof plinth

- 058 Black, waterproof
- 061 Brushed steel reproduction, waterproof (matches Inox)

Addition to back panel RK*

- In addition to all carcase colours, as of 2019 also available in all worktop décors

9 New worktop décors

Surrounding surfaces
New features 2019

WORKTOP DÉCORS, DÉCOR GROUP 1



WORKTOP DÉCOR 089

Stone grey

Also available as Slim Line worktop.



WORKTOP DÉCOR 097


Havana oak reproduction



WORKTOP DÉCOR 273

Carrara marble reproduction

Also available as COLOR CONCEPT.



WORKTOP DÉCOR 274

Teramo marble reproduction

Also available as COLOR CONCEPT.



WORKTOP DÉCOR 378

Black Concrete reproduction

Matches Speed 288.



WORKTOP DÉCOR 379

Somerset oak reproduction

Matches Riva 887.




WORKTOP DÉCOR 380

Dakota oak reproduction

Matches Riva 888.


All new worktop décors are also available as console panel APP and as upright panels in 16, 25 and 50 mm as well as niche cladding NV.

XTRA WORKTOP DÉCORS, DÉCOR GROUP 2



WORKTOP DÉCOR 368

Mixedwood reproduction



WORKTOP DÉCOR 369

Stone grey slate reproduction

Also available as Slim Line worktop.



reddot award 2018
winner



14 New handles

Surrounding surfaces
New features 2019



508 METAL HANDLE

Stainless steel finish
160 mm



544 METAL HANDLE

Stainless steel finish
160 mm



552 METAL HANDLE

Stainless steel finish
160 mm



563 METAL HANDLE

Black / Stainless steel finish
160 mm



595 METAL HANDLE

Black / Stainless steel finish
160 mm



616 CAST IRON HANDLE

Black
96 mm



707 METAL HANDLE

Brushed anthracite
160 mm



711 METAL HANDLE

Anthracite
160 mm



715 METAL HANDLE

Brushed anthracite
160 mm



726 METAL HANDLE

Black
160 mm



732 CAST IRON HANDLE

Black
160 mm



610 CAST IRON KNOB

Black



737 WOOD / METAL HANDLE (MP 7945)

Oak / Black
192 mm



870 BAR HANDLE (MP 7946)

Black
in door width


12 New upright panel colours

Surrounding surfaces
New features 2019

MATT



UPRIGHT PANEL COLOUR 089
Stone grey




UPRIGHT PANEL COLOUR 097
Havana oak reproduction



UPRIGHT PANEL COLOUR 273
Carrara marble reproduction




UPRIGHT PANEL COLOUR 274
Teramo marble reproduction



UPRIGHT PANEL COLOUR 378
Black Concrete reproduction
Matches Speed 288.



UPRIGHT PANEL COLOUR 379
Somerset oak reproduction
Matches Riva 887.




UPRIGHT PANEL COLOUR 380
Dakota oak reproduction
Matches Riva 888.

XTRA




UPRIGHT PANEL COLOUR 368
Mixedwood reproduction



UPRIGHT PANEL COLOUR 369
Stone grey slate reproduction

LACQUERED LAMINATE



UPRIGHT PANEL COLOUR 216
Lacquered laminate,
brushed steel reproduction




UPRIGHT PANEL COLOUR 341
Lacquered laminate,
stone grey supermatt




UPRIGHT PANEL COLOUR 503
Lacquered laminate,
alpine white high gloss


PRICE GROUP 2




LASER 427
Alpine white




LASER 416
White




LASER 418
Ivory matt



LASER 417
Satin grey



LASER 415
Sand




LASER 413
Mineral grey



RIVA 891
White Concrete repro



RIVA 892
Concrete grey repro




RIVA 889
Concrete Slate Grey repro



RIVA 893
Sanremo oak repro



RIVA 887 NEW
Somerset oak repro




RIVA 888 NEW
Dakota oak repro


PRICE GROUP 3




STRUCTURA 401
Sherwood oak repro




STRUCTURA 400
Gladstone oak repro



STRUCTURA 402 NEW
Havana oak repro



TOUCH 332
Alpine white supermatt



TOUCH 336
Ivory supermatt



TOUCH 338
Satin grey supermatt



TOUCH 341 NEW
Lacquered laminate,
stone grey supermatt




TOUCH 337
Aqua supermatt




TOUCH 334
Slate grey supermatt




TOUCH 340
Black supermatt




FLASH 503 NEW
Alpine white high gloss



FLASH 450 NEW
White high gloss




FLASH 452 NEW
Ivory high gloss



FLASH 455 NEW
Satin grey high gloss

PRICE GROUP 4



FASHION 168
Lacquer, honed alpine white




FASHION 173
Lacquer, honed white



FASHION 175
Lacquer, honed ivory




FASHION 171
Lacquer, honed satin grey




STONEART 303
Grey slate repro




STONEART 304 NEW
Stone grey slate repro



FOCUS 470
Lacquer, alpine white ultra high gloss (UHG)



FOCUS 460
Lacquer, white UHG



FOCUS 462
Lacquer, ivory UHG




FOCUS 467
Lacquer, sand UHG




FOCUS 465
Lacquer, mineral grey UHG


PRICE GROUP 9




INOX 216 NEW
Lacquered laminate, brushed steel repro




LUX 817
Lacquer, alpine white high gloss (HG)



LUX 814
Lacquer, white HG



LUX 816
Lacquer, ivory HG



LUX 819
Lacquer, satin grey HG



LUX 838
Lacquer, sand HG



LUX 823
Lacquer, slate grey HG

LINE N HANDLE PROFILES



HANDLE PROFILE 009
Stone grey




HANDLE PROFILE 011
Slate grey


Highlights for recesses: 9 New NVM décors

Surrounding surfaces
New features 2019


560 Décor tile mix, black




562 Décor Patagonia



564 Décor birch forest




566 Décor crossroads, light




568 Décor spice rack




561 Décor fjord




563 Décor New York



565 Décor forest



567 Décor crossroads, dark





431 Aluminium framed door in Alpine white with matt glass 02



434 Aluminium framed door in Slate grey with Grey glass 035



438 Aluminium framed door in Black with Black glass 39

Flat wall unit with glass doors, WF*

Door design: Aluminium framed door, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance.

WF*-01 FLATWALL UNIT WITH GLASS DOORS, HEIGHT 01

widths: 450, 500, 600, 900, 1,000, 1,200 mm

WF* -02 / -03 FLAT WALL UNIT WITH GLASS DOORS, HEIGHT 02 & 03

widths: 450, 500, 600, 900, 1,000 mm



Framed door with wood lattice insert for York, WGH*

WGH*-01 WALL UNIT WITH WOOD LATTICE DOOR, HEIGHT 01

widths: 450, 500, 600, 900, 1,000, 1,200 mm

WGH*-02 / -03 WALL UNIT WITH WOOD LATTICE DOOR, HEIGHT 02 & 03

widths: 450, 500, 600, 900, 1,000 mm

nobilia. More than a kitchen – Infinity shelving system

Elements
New features 2019




Planning information

- Infinity basic and extension elements are available in the respective heights. These contain the necessary frame components and shelves.
- Shelves 16 mm thick, coated on both faces, polymer edge all around.
- Available in all carcass and Color Concept colours as well as all worktop décors of décor group 1.
- Not available in Xtra décors.
- Element width: 300 to 900 mm
- Basic element shelf width: 270 to 870 mm
- Extension element shelf width: 291 to 891 mm
- Side depth: 341 mm
- Available plinth heights: 100, 150 mm
- Basic elements can also be planned individually. It is not possible to plan extension elements without a basic element of the same height.
- A unit comprised of basic and extension elements can only be ordered in the same colour.
- The open shelf upright system is suitable only for wall mounting. It cannot be planned as a room divider.

One shelving system – endless planning possibilities


The Infinity shelving system offers countless planning options for individualised living space design. The discreet, 21 mm narrow aluminium frame lends the room modern accents in an industrial style. The frame is available in Black and Stainless steel finish and can be combined with shelves in 54 décors.

- Available heights:
 - 359 mm, to match wall unit height of 359 mm
 - 718 mm, to match wall unit height 02
 - 1,485 mm, to match highboard height
 - 1,997 mm, to match tall unit height 02
 - 2,069 mm, to match XL tall unit height 02X
- Aluminium frame, 21 mm thick
- Available frame colours:
 - 073 Stainless steel finish, 010 Black




Infinity product range

Elements
New features 2019




HRIG INFINITY SHELVING SYSTEM BASIC ELEMENT

in highboard height,
1,485 mm high
Aluminium frame with 5 shelves,
16 mm thick,
total width: 300 – 900 mm,
side depth: 341 mm



HRIA INFINITY SHELVING SYSTEM EXTENSION ELEMENT

in highboard height,
1,485 mm high
Aluminium frame with 5 shelves,
16 mm thick,
total width: 300 – 900 mm,
side depth: 341 mm




HRIG02 / 02X INFINITY SHELVING SYSTEM BASIC ELEMENT

in highboard heights
02 / 02X
Aluminium frame with 7 shelves,
16 mm thick,
total width: 300 – 900 mm,
side depth: 341 mm




HRIA02 / -02X INFINITY SHELVING SYSTEM EXTENSION ELEMENT

in highboard heights
02 / 02X
Aluminium frame with 7 shelves,
16 mm thick,
total width: 300 – 900 mm,
side depth: 341 mm




WRIG-36 INFINITY SHELVING SYSTEM BASIC ELEMENT

in wall unit height, 359 mm
Aluminium frame with 2 shelves,
16 mm thick,
total width: 300 – 900 mm,
side depth: 341 mm




WRIA-36 INFINITY SHELVING SYSTEM EXTENSION ELEMENT

in wall unit height, 359 mm
Aluminium frame with 2 shelves,
16 mm thick,
total width: 300 – 900 mm,
side depth: 341 mm



WRIG-02 INFINITY SHELVING SYSTEM BASIC ELEMENT

in wall unit height 02
Aluminium frame with 3 shelves,
16 mm thick,
total width: 300 – 900 mm,
side depth: 341 mm



WRIA-02 INFINITY SHELVING SYSTEM EXTENSION ELEMENT

in wall unit height 02
Aluminium frame with 3 shelves,
16 mm thick,
total width: 300 – 900 mm,
side depth: 341 mm






From the perfect kitchen to an inviting, holistic design.

Whether in the kitchen or as a wardrobe, for storage in the living room or bathroom or even as a walk-in wardrobe – our Backlight shelving system is a striking conversation piece in every room. Backlight offers multifaceted and flexible planning options. With innovative ideas, elegant design and countless practical details for integrated contemporary home interiors.

- Available support pole colours: 073 Stainless steel finish, 010 Black
- Available heights:
 - 1,485 mm, to match highboard height
 - 1,997 mm, to match tall unit height 02
 - 2,069 mm, to match XL tall unit height 02X
 - 1,239 mm, to match dresser unit height 02


- Support pole depths: 150, 295 mm
- Available plinth heights: 100, 150 mm
- The aluminium support poles come standard equipped with an integrated LED light strip that uses Emotion technology.
LED starter sets LSET30/60(-F), LSET60-4K and follow-up set LFSET30/60 are not included in the scope of delivery, see accessories list, lighting chapter.



- A broad product range comprised of shelves, glass shelves, wardrobe rails, wooden boxes and planter boxes as well as wall-mounted base units. These are always planned between two support poles and are fastened with special Backlight connectors.
- Backlight shelves are available in thicknesses of 16 and 25 mm, are coated on both faces and have a polymer edge all around.
- Available in all carcass and Color Concept colours as well as all worktop décors of décor group 1.
- Not available in Xtra décors.
- For a surcharge, the shelves can be equipped with LED built-in light Manila Plus (MP-BLBL) or an LED plant grow light (MP-BLBLP).
- The plant grow light does not change light colours and does not dim. This light is not possible with the Emotion technology of starter sets LSET30(60) and LSET30/60-F.
- All shelf dimensions are variable by 32 mm, in order to enable unit designs with 16 mm upright panels on the sides. Designs with other upright thicknesses are not permitted.
- As an alternative, 8 mm thick Backlight glass shelves are available.
- All shelves and glass shelves come standard with connectors.
- Backlight base units are available in all ranges and carcass colours and can only be planned in conjunction with the Backlight shelving system. Backlight base units must be outfitted with a top shelf.
- The base units are mounted to the wall with a heavy-duty suspension bracket. The connectors ensure support to the bottom of the hanging unit.
- Available carcass heights: 360 mm, 432 mm
- In addition, wall units of every height can be planned between two Backlight support poles. For secure connection to the support poles unit connectors BLSK are automatically confirmed and supplied with the order – and invoiced.


Backlight shelving system – planning examples

Elements
New features 2019




Planning example 1, comprised of:

- 4 x ABL515-02 Backlight aluminium support poles in dresser unit height 02, 1,239 mm high, 150 mm deep
- 9 x BLG90 Glass shelf, 8 mm thick, 200 mm deep, 900 mm wide




Planning example 2, comprised of:

- 4 x ABL515-02 Backlight aluminium support poles in dresser unit height 02, 1,239 mm high, 150 mm deep
- 6 x BLB16-60-20 Shelf, 16 mm thick, 200 mm deep, 600 mm wide
- 3 x MP-BLBL Surcharge for shelf with LED built-in light
- 3 x MP-BLBLP Surcharge for shelf with LED plant grow light
- 3 x BLHK60-H Wooden box, 150 mm thick, 170 mm deep, 600 mm wide
- 3 x BLKRS60-H Plastic herb pot, 2 pieces, 125 mm high, 600 mm wide




Planning example 3, comprised of:

3 x HBLS30-02X	Backlight aluminium support poles in tall unit height XL, 295 mm deep
2 x BLB16-90-38	Shelf, 16 mm thick, 380 mm deep, 900 mm wide
2 x MP-BLBLP	Surcharge for shelf with LED plant grow light
2 x BLHK90-H	Wooden box, 150 mm thick, 170 mm deep, 900 mm wide
2 x BLKRS90-H	Plastic herb pot, 2 pieces, 125 mm high, 900 mm wide
2 x USABL90-43	Pull-out unit, 432 mm high, 900 mm wide, 1 drawer, 1 pull-out
2 x ADB16-59	Top shelf, 16 mm thick, 900 mm wide, 587 mm deep




Planning example 4, comprised of:

3 x HBLS15-02	Backlight aluminium support poles in tall unit height 02, 150 mm deep
8 x BLB16-50-20	Shelf, 16 mm thick, 200 mm deep, 532 mm wide
6 x MP-BLBL	Surcharge for shelf with LED built-in light
2 x WKB50-36	Wall unit with bar flap, 359 mm high, 500 mm wide
2 x ADB16-35	Top shelf, 16 mm thick, 532 mm wide, 346 mm deep
2 x WKB90-36	Wall unit with bar flap, 359 mm high, 900 mm wide
1 x ADB16-35	Top shelf, 16 mm thick, 1,832 mm wide, 346 mm deep
6 x WW16-01	End upright for wall units, 16 mm wide, 359 mm high, 344 mm deep
3 x BLSK	Unit connectors



Planning example 5, comprised of:

- 4 x HBLS30-02X Backlight aluminium support poles in tall unit height XL, 295 mm deep
- 2 x BLB16-90-38 Shelf, 16 mm thick, 380 mm deep, 900 mm wide
- 1 x BLB16-60-38 Shelf, 16 mm thick, 380 mm deep, 600 mm wide
- 3 x MP-BLBL Surcharge for shelf with LED built-in light
- 1 x BLKST60 Clothes rail, 600 mm wide
- 1 x BLKST90 Clothes rail, 900 mm wide
- 1 x BLHK60-F Wooden box, 70 mm thick, 170 mm deep, 600 mm wide
- 1 x URBL60-36 Open shelf base unit, 360 mm high, 600 mm wide
- 1 x ADB16-59 Top shelf, 16 mm thick, 600 mm wide, 587 mm deep
- 2 x U2SBL90-36 Drawer unit, 360 mm high, 900 mm wide, 2 drawers
- 2 x ADB16-59 Top shelf, 16 mm thick, 900 mm wide, 587 mm deep




Planning example 6, comprised of:

- 4 x HBLS30-02 Backlight aluminium support poles in tall unit height 02, 295 mm deep
- 2 x WK90-36 Wall unit with flap door, 359 mm high, 900 mm wide
- 4 x WW16-01 End upright for wall units, 16 mm wide, 359 mm high, 344 mm deep
- 3 x BLB25-90-38 Shelf, 25 mm thick, 380 mm deep, 932 mm wide
- 1 x MP-BLBL Surcharge for shelf with LED built-in light
- 1 x BLKST93 Clothes rail, 932 mm wide
- 3 x USABL90-43 Pull-out unit, 432 mm high, 900 mm wide, 1 drawer, 1 pull-out
- 3 x ADB16-59 Top shelf, 16 mm thick, 932 mm wide, 587 mm deep
- 6 x UWK16 End upright in carcase height, 16 mm wide, 432 mm high, 585 mm deep
- 2 x BLSK Unit connectors


Backlight shelving system – planning examples

Elements
New features 2019




Planning example 7, comprised of:


- | | |
|-----------------|---|
| 6 x HBL530-02 | Backlight aluminium support poles in tall unit height 02, 295 mm deep |
| 2 x BLB25-90-38 | Shelf, 25 mm thick, 380 mm deep, 900 mm wide |
| 2 x MP-BLBL | Surcharge for shelf with LED built-in light |
| 2 x BLKST90 | Clothes rail, 900 mm wide |
| 4 x URBL50-36 | Open shelf base unit, 360 mm high, 500 mm wide |
| 6 x BLB25-50-38 | Shelf, 25 mm thick, 380 mm deep, 500 mm wide |
| 2 x U2SBL90-36 | Drawer unit, 360 mm high, 900 mm wide, 2 drawers |
| 2 x ADB25-59 | Top shelf, 25 mm thick, 900 mm wide, 587 mm deep |
| 2 x UABL50-36 | Pull-out unit, 360 mm high, 500 mm wide, 1 pull-out |
| 3 x ADB25-59 | Top shelf, 25 mm thick, 500 mm wide, 587 mm deep |




**HBL15 / HBL30
BACKLIGHT ALUMINIUM
SUPPORT POLES IN
HIGHBOARD HEIGHT**
support pole width: 25 mm,
with integr. LED light strip,
support pole heights:
plinth height 100 mm: 1,585 mm
plinth height 150 mm: 1,635 mm



**HBL15-02 / HBL30-02
BACKLIGHT ALUMINIUM
SUPPORT POLES IN
TALL UNIT HEIGHT 02**
support pole width: 25 mm,
with integr. LED light strip,
support pole heights:
plinth height 100 mm: 2,097 mm
plinth height 150 mm: 2,147 mm



**HBL15-02X / HBL30-02X
BACKLIGHT ALUMINIUM
SUPPORT POLES IN
TALL UNIT HEIGHT 02X**
support pole width: 25 mm,
with integr. LED light strip,
support pole heights:
plinth height 100 mm: 2,169 mm
plinth height 150 mm: 2,219 mm



**ABL15-02 / ABL30-02
BACKLIGHT ALUMINIUM
SUPPORT POLES IN
DRESSER UNIT HEIGHT 02**
support pole width: 25 mm,
with integr. LED light strip



**BLG30/60/90
GLASS SHELF,
8 MM THICK**
200 mm deep
incl. connector in:
No. 073 Stainless steel finish
No. 010 Black



**BLB16-*38
SHELF,
16 MM THICK**
380 mm deep,
includes shelf connectors in:
No. 073 Stainless steel finish
No. 010 Black
widths: 300, 400, 450, 500,
600, 800, 900 mm
**AS ABOVE, HOWEVER
25 MM THICK
BLB25-*38**



**BLB16-*20
SHELF,
16 MM THICK**
200 mm deep,
includes shelf connectors in:
No. 073 Stainless steel finish
No. 010 Black
widths: 300, 400, 450, 500,
600, 800, 900 mm
**AS ABOVE, HOWEVER
25 MM THICK
BLB25-*20**



**MP-BLBL
SURCHARGE FOR SHELF
WITH LED LIGHT MANILA
PLUS**
as above, however
**MP-BLBP
SURCHARGE FOR SHELF
WITH PLANT GROW LIGHT**



**BLHK60/90-F
SHALLOW WOODEN BOX**
70 mm high
170 mm deep,
solid oak,
incl. connector in:
No. 073 Stainless steel finish
No. 010 Black




**BLHK60/90-H
DEEP WOODEN BOX**
150 mm high
170 mm deep,
solid oak,
incl. connector in:
No. 073 Stainless steel finish
No. 010 Black




BLKRS60/90-F
SHALLOW PLASTIC HERB POT
to insert in wooden box BLHK*-F,
2 pieces




BLKRS60/90-H
DEEP PLASTIC HERB POT
to insert in wooden box
BLHK*-H, 2 pieces




BLKST60/63/90/93
CLOTHES RAIL




ABLS15-02 / ABL530-02
UNIT CONNECTOR
4 pieces including screws and
sliding block as set, for mounting
wall units on Backlight support
poles
Available colours:
No. 073 Stainless steel finish
No. 010 Black




U2SBL-36
DRAWER UNIT
2 drawers,
includes unit connectors
widths: 300, 400, 450, 500,
600, 800, 900 mm




UABL-36
PULL-OUT UNIT
1 pull-out,
includes unit connectors
widths: 300, 400, 450, 500,
600, 800, 900 mm



UKBBL-36
BASE UNIT WITH BAR FLAP
1 flap with opening
support mechanism,
includes unit connectors
widths: 450, 500, 600, 800, 900 mm



USABL-43
PULL-OUT UNIT
1 drawer, 1 pull-out,
includes unit connectors
widths: 300, 400, 450, 500,
600, 800, 900 mm



URBL-36 / -43
OPEN SHELF BASE UNIT
side depth: 582 mm,
includes unit connectors
widths: 300, 400, 450, 500,
600 mm



Utility room

The trend toward open concept kitchens that transition into living spaces continues unabated. More and more, the kitchen merges with the living space or has already – in many cases – advanced to a position as new living space. Modular arrangements, open shelving systems and minimalistic focus on the essentials are what distinguish modern, design-oriented kitchens.

This raises the question: Where to put all the things that we use on a daily basis, but that we don't always want to see or display? Pantry supplies, cleaning equipment and products

or even the washing machine often end up in the basement – but here they are far removed from daily use. What's more, basements are often no longer even included in chic city flats or new homes.

These facts have led to a revival in utility rooms. Since this room must often incorporate many different functions in a small footprint, a practical and ergonomic design with clever individualised solutions is absolutely essential. Our new features for utility room designs help achieve this.

Solutions for the utility room

Elements
New features 2019



HMF50/60 HIGHBOARD WITH LAUNDRY AREA MULTI-PURPOSE BRACKETS

1 lug connected door, 2 multi-purpose brackets for ironing board and ladder
also available in all tall unit heights:

**HMF50/60-X
H(D)MF50/60-01
H(D)MF50/60-02
H(D)MF50/60-02X
H(D)MF50/60-03**

as well as for LINE N kitchens:

**NHSMF50/60
NHSMF50/60-02
NHSMF50/60-03**



HOS50/60 HIGHBOARD WITH LAUNDRY AREA ORGANISING SYSTEM

1 lug-connected door, 1 recycling collector with cotton sack, 1 broom/mop holder, 2 utensil containers with wall-mount
also available in all tall unit heights:

**HOS50/60-X
H(D)OS50/60-01
H(D)OS50/60-02
H(D)OS50/60-02X
H(D)OS50/60-03**

as well as for LINE N kitchens:

**NHSOS50/60
NHSOS50/60-02
NHSOS50/60-03**



HWTAB60 HIGHBOARD WITH LAUNDRY AREA LAUNDRY BASKET TABLAR

1 lug connected door, 4 tablar pull-outs, 4 laundry baskets

also available in all tall unit heights:

**HWTAB50/60-X
H(D)WTAB50/60-01
H(D)WTAB50/60-02
H(D)WTAB50/60-02X
H(D)OS50/60-03**

as well as for LINE N kitchens:

**NHSWTAB60
NHSWTAB60-02
NHSWTAB60-03**



GWST60 APPLIANCE HOUSING WASHING MACHINE / DRYING RACK

for appliance heights up to 850 mm with waste separation system Separato

also available in all tall unit heights:

**GWST60-X
GWST60-01
GWST60-02
GWST60-02X
GWST60-03**

also available simply as built-under solution:

GUWST60



Planning information

- Bathroom units are equipped with a heavy-duty fitting for wall mounting.
- The heavy-duty suspension bracket ensures secure mounting in honeycomb brick, sand-lime brick and concrete.
- Base units for bathroom designs are available in all ranges and all carcass colours.
- The units can be topped with worktops or top shelves as well as commercially available washbasins and counter-tops.
- Special vanity units are available in every height for recessed and surface mounting of washbasins and basins. These are equipped with a metal crossbar.
- Pull-outs and drawers on these units are equipped with a wooden back panel for on site cutting of odour trap recess.
- As extra protection against moisture, bathroom units can be equipped with a waterproof bottom panel for a surcharge MP-WP.

Bathroom designs with individuality and convenience

The trend toward individually designed interiors with homely character continues into the bathroom. And with it, the demand for perfect storage space organisation and ergonomic furnishings – simply put, convenience – has also substantially increased.

The quality characteristics of our furniture make it ideally equipped to meet these requirements. An independent product line of bathroom units and vanity units as well as washbasins and taps supplements our 2019 collection. Our bathroom base units successfully passed TÜV Rheinland testing in accordance with the legal requirements of

the RAL-GZ 430 quality standards for kitchen and bath furniture.


- Base units for bathroom designs are available in four carcass heights:
288 mm / 360 mm / 432 mm / 576 mm.
The side depth is 461 mm.
- The codes are as follows:
Bathroom base units BU* -28 / -36 / -43 / -58
Bathroom vanity units BW* -28 / -36 / -43 / -58

Bathroom design product range, side depth 461 mm

Elements
New features 2019

HEIGHT: 288 MM


285



**BWA-29
BATHROOM VANITY UNIT**
1 pull-out with wooden back panel
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm

Only suitable for surface-mounted
washbasins.


285




**BWAS-29
BATHROOM VANITY UNIT**
1 internal panel,
1 drawer with wooden back panel
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm

Suitable for recessed and surface-
mounted washbasins.

285



**BUA-29
BATHROOM PULL-OUT UNIT**
1 pull-out
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm




**BUR-29
BATHROOM OPEN SHELF
BASE UNIT**
side depth 482 mm
widths: 300, 400, 450, 500,
600 mm



HEIGHT: 360 MM


357



**BWA-36
BATHROOM VANITY UNIT**
1 pull-out with wooden back panel
widths: 300, 400, 450, 500,
600, 800, 900, 1,000, 1,200 mm

Only suitable for surface-mounted
washbasins.


357




**BWBA-36
BATHROOM VANITY UNIT**
1 internal panel,
1 pull-out with wooden back panel
widths: 300, 400, 450, 500,
600, 800, 900, 1,000, 1,200 mm

Suitable for recessed and surface-
mounted washbasins.

357



**BUA-36
BATHROOM PULL-OUT UNIT**
1 pull-out
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm



**BUR-36
BATHROOM OPEN SHELF
BASE UNIT**
side depth 482 mm
widths: 300, 400, 450, 500,
600 mm

MP-WP SURCHARGE FOR WATERPROOFING


Waterproof bottom panel in Grey
metallic for sink base units and
vanity units

There is no centre post for two-
door sink base units.

Bathroom design product range, side depth 461 mm


Elements
New features 2019

HEIGHT: 432 MM




**BWA-43
BATHROOM VANITY UNIT**
1 fixed panel,
1 pull-out with wooden back panel
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm

Suitable for recessed and surface-mounted washbasins.




**BWSA-43
BATHROOM VANITY UNIT**
1 drawer with wooden back panel,
1 pull-out with wooden back panel
widths: 300, 400, 450, 500,
600, 800, 900, 1,000, 1,200 mm

Only suitable for surface-mounted washbasins.



**BUSA-43
BATHROOM PULL-OUT UNIT**
1 drawer,
1 pull-out
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm




**BUR-43
BATHROOM OPEN SHELF
BASE UNIT**
side depth 482 mm
widths: 300, 400, 450, 500,
600 mm




**MP-WP
SURCHARGE FOR
WATERPROOFING**
Waterproof bottom panel in Grey
metallic for sink base units and
vanity units

There is no centre post for two-door sink base units.

HEIGHT: 576 MM




**BWA-58
BATHROOM OPEN SHELF
BASE UNIT**
1 door,
1 shelf
widths: 300, 400, 450, 500,
600 mm




**BWSA-58
BATHROOM VANITY UNIT**
1 door,
1 shelf
widths: 300, 400, 450, 500,
600 mm

Only suitable for surface-mounted washbasins.




**BWB-58
BATHROOM VANITY UNIT**
1 internal panel,
1 door,
1 shelf
widths: 300, 400, 450, 500,
600 mm

Suitable for recessed and surface-mounted washbasins.



**BWSA-58
BATHROOM VANITY UNIT**
1 fixed panel,
1 drawer,
1 pull-out
widths: 300, 400, 450, 500,
600, 800, 900, 1,000, 1,200 mm

Suitable for recessed and surface-mounted washbasins.




**BU2SA-58
BATHROOM PULL-OUT UNIT**
2 drawers,
1 pull-out
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm

Bathroom design product range, side depth 461 mm


Elements
New features 2019

HEIGHT: 576 MM




**BW2SA-58
BATHROOM VANITY UNIT**
2 drawers with wooden back panel,
1 pull-out with wooden back panel
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm

Only suitable for surface-mounted
washbasins.




**BU2A-58
BATHROOM PULL-OUT UNIT**
2 pull-outs
widths: 300, 400, 450, 500,
600, 800, 900, 1,000, 1,200 mm




**BW2A-58
BATHROOM VANITY UNIT**
2 pull-outs with wooden back panel
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm

Only suitable for surface-mounted
washbasins.



**BWASA-58
BATHROOM VANITY UNIT**
1 internal panel,
1 drawer with wooden back panel,
1 pull-out with wooden back panel
widths: 300, 400, 450, 500, 600,
800, 900, 1,000, 1,200 mm

Suitable for recessed and surface-
mounted washbasins.



**BUR-58
BATHROOM OPEN SHELF
BASE UNIT**
1 fixed shelf
side depth 482 mm
widths: 300, 400, 450, 500,
600 mm



MP-WP SURCHARGE FOR WATERPROOFING


Waterproof bottom panel in Grey
metallic for sink base units and
vanity units

There is no centre post for two-
door sink base units.

Supplements for hot plate and sink units

Elements
New features 2019


HOT PLATE UNITS



KS60 HOT PLATE UNIT


1 drawer,
1 spacer shelf,
1 door,
1 shelf

also available in XL height
KS60-X



K2SA* HOT PLATE UNIT


2 drawers,
1 spacer shelf for hot plate,
1 pull-out
widths: 600, 800, 900, 1,000,
1,200 mm



KS2A* HOT PLATE UNIT


1 drawer,
1 spacer shelf for hot plate,
2 pull-outs
widths: 600, 800, 900, 1,000,
1,200 mm

also available in XL height
KS2A*-X



NKMSSA* LINE N HOT PLATE UNIT FOR DOWNDRAFT EXTRACTOR FAN WITH PLINTH MOTOR

1 internal panel,
1 drawer with pull-out panel,
400 mm deep,
1 pull-out, 270 mm deep
widths: 90, 100, 1,200 mm



NKMSBSA* LINE N HOT PLATE UNIT FOR DOWNDRAFT EXTRACTOR FAN WITH PLINTH MOTOR

1 fixed panel,
1 drawer, 400 mm deep,
1 pull-out, 270 mm deep
widths: 90, 100, 1,200 mm

SINK UNITS WITH WASTE SEPARATION SYSTEM SEPARATO, 400 MM DEEP



**WASTE SEPARATION SYSTEM
SEPARATO, 600 MM WIDE**



**WASTE SEPARATION SYSTEM
SEPARATO, 800 MM WIDE**





**WASTE SEPARATION SYSTEM
SEPARATO, 900 MM WIDE**



**WASTE SEPARATION SYSTEM
SEPARATO, 1,000 MM WIDE**



**WASTE SEPARATION SYSTEM
SEPARATO, 1,200 MM WIDE**



New features: roll-up front unit depth and internal tablars

Elements
New features 2019



**NEW DEPTH FOR
DRESSER UNITS AJTT* AND AJGTT***
side depth: 582 mm




**INTERNAL TABLAR WITH LOCKING DRAWER
SLIDES ITAB-AJ60
FOR RETROFITTING IN DRESSER-ROLL-UP UNITS,**
600 mm wide,
laminate coated in Slate grey on both faces,
polymer edge all around,
with leak protection recess for liquids,
Dimensions tablar shelf:
H x W x D = 532 x 39 x 485 mm,
Dimensions leak protection recess:
H x W x D = 482 x 2.5 x 435 mm

Maximum load for tablar shelves: 33 kg



**INTERNAL TABLAR WITH LOCKING DRAWER
SLIDES ITAB-UH60
FOR RETROFITTING IN BASE AND TALL UNITS,**
600 mm wide,
laminate coated in Slate grey on both faces,
polymer edge all around,
with leak protection recess for liquids,
Dimensions tablar shelf:
H x W x D = 532 x 39 x 504 mm,
Dimensions leak protection recess:
H x W x D = 482 x 2.5 x 435 mm

Maximum load for tablar shelves: 33 kg



NRH50/60/80/90 RECESSED SHELF

side depth: 125 mm,
height: 257 mm

Available in all carcase colours.



NR50/60/80/90 RECESSED SHELF

2 shelves with railing,
side depth: 125 mm,
height: 519 mm

Available in all carcase colours.



NRKG50/60/80/90 RECESSED SHELF WITH FLAP DOOR FOR KITCHEN APPLIANCES

1 flap door,
1 cable lead through
front thickness: 16 mm,
total depth: 125 mm,
utilisable depth: 86 mm

Available in all carcase colours.




NRKS80/90 RECESSED SHELF WITH FLAP DOOR, MAGNETIC STRIP AND CUTTING BOARD

1 flap door,
1 magnetic strip for knives,
in 900 mm width incl. 1 cutting board
front thickness: 16 mm,
total depth: 125 mm,
utilisable depth: 86 mm


Available in all carcase colours.

General accessories

Accessories
New features 2019



**UOOS30/40/45/50/60/80/90/100/120
OPEN SPACE UNIVERSAL ORGANISER**
for custom divisions,
anthracite, wooden bowls of solid oak wood,
flocked liner mat
height 51 mm, for side depth: 561 mm



**EMB 30/40/45/50/60/80/90/100/120
FLOCKED LINER MAT**
Anthracite,
fits side depth: 561 mm



**WSMS40/45/50/60/80/90/100/120
WATERPROOF MAT**
plastic, Slate grey
not for use with front pull-outs,
fits side depth: 561 mm



**WSMSE*
WATERPROOF MAT**
available for corner sink units SPUE(D)*
**WSMSED*
WATERPROOF MAT**
available for chamfered corner sink unit
SPUE(D)*



**NKPA200/400
NICHE END PROFILE**
aluminium profile, 2-piece, for niche cladding,
incl. 1 set of end caps (left/right)
Available in:
014 Stainless steel appearance, 010 Black
**NKPA-EK
1 SET OF END CAPS**



**NKPV200/400
NICHE CONNECTING PROFILE**
aluminium profile, 2-piece,
for niche claddings,
incl. 1 set of end caps (left/right)
Available in:
014 Stainless steel appearance, 010 Black
**NKPV-EK
1 SET OF END CAPS**



**NKPL
LED LIGHT PROFILE FOR LINERO
MOSAIQ**
aluminium profile with integrated LED
light strip, niche end profile and/or
connecting profile,
incl. 2 sets of end caps (left/right)



**AO60/80/90/100/120C
STORAGE COMPARTMENT TARA**
Aluminium profile incl. cover and non-slip
mat, cut-out dimensions:
600 mm / 900 mm / 1,200 mm x 150 mm
Available in:
014 Stainless steel appearance and 010 Black

Expansion of additional accessories with the colour 010 Black:

- WAP and niche profile: WAPN*, NKPU*, NKPO*
- Support consoles and legs: STK-E, SF-EA
- Sockets: FLIP*, PORT*
- Shelf holder VBH5

Lifting column FlexMotion

Accessories

New features 2019



APHFM90-M MASTER LIFTING COLUMN FLEX- MOTION FOR WORKTOPS

in Black, consisting of:

1 lifting column 70 x 70 mm
(586 – 1,150 mm vertical travel),
base plate 550 x 550 mm with
adjustable glides,
housing 430 x 430 mm,
motor cable 200 mm,
universal power supply unit 3,200 mm
power cable and plug,
rechargeable battery with connection
cable 2,000 mm,
control element,
spacer, telescopic between
312 – 535 mm

for

worktop depth: 600 – 900 mm,
worktop width: 600 – 900 mm

The maximum load is 70 kg!

APHFM150-M MASTER LIFTING COLUMN AS ABOVE,

however, comprised of:

2 lifting columns 70 x 70 mm
(586 – 1,150 mm vertical travel),
base plate 850 x 550 mm with
adjustable glides,
housing 800 x 355 mm,
motor cable 200 mm

for

worktop depth: 600 – 900 mm,
worktop width: 901 – 1,500 mm

The maximum load per lifting column
is 70 kg!

APHFM-S SLAVE LIFTING COLUMN FLEX- MOTION FOR WORKTOPS AS SUPPLEMENT TO MASTER LIFTING COLUMN



consisting of:

1 lifting column 70 x 70 mm
(586 – 1,150 mm vertical travel),
base plate 550 x 550 mm with
adjustable glides,
housing 430 x 430 mm,
motor cable 2,000 mm

for

worktop depth: 600 – 900 mm,
worktop width: 1,501 – 2,300 mm with
1 master and 1 slave lifting column,
worktop width: 2,301 – 3,000 mm with
1 master and 2 slave lifting columns

The maximum load per lifting column
is 70 kg!



Laundry Area accessories

Accessories
New features 2019



WDBLA
LAUNDRY AREA RECYCLING
COLLECTOR WITH COTTON SACK
carrier frame with cover flap, white powder-coated metal
incl. durable cotton sack
cover flap dimensions:
height: 125 mm, width: 404 mm,
depth: 261 mm



BWHLA
LAUNDRY AREA BROOM/MOP
HOLDER



WTLA
LAUNDRY AREA DRYING RACK
for mounting to the exterior of the unit or
to the wall, folding
height: 300 mm, width: 525 mm,
depth: 820 mm



WTABLA
LAUNDRY AREA DRYING RACK
tablar pull-out, white powder-coated metal
height: 67.5 mm, width: 568 mm,
depth: 509.5 mm



WKLA
LAUNDRY AREA LAUNDRY BASKET
blue plastic,
matches tablar pull-out WTABLA
height: 304 mm, width: 520 mm,
depth: 462 mm



UBWLA
2 LAUNDRY AREA UTENSIL
CONTAINERS WITH WALL MOUNTS
for hanging up and taking out, for clothes-
pegs and bits and pieces, wall bracket white
powder-coated metal,
utensil container blue plastic
height: 241 mm, width: 436 mm,
depth: 198 mm



AKSLA
LAUNDRY AREA SHELF WITH
DUSTPAN SET
Laundry Area shelf for mop bucket,
white powder-coated metal, dustpan set



MFHLA
2 LAUNDRY AREA MULTI-PURPOSE
BRACKETS



DZA-SET EXTRACTION SET

consisting of:

- 1 flexible hose, 1,500 mm log, Ø 152 mm
- 2 hose clamps, Ø 152 mm
- 1 reducer from 125 to 150 mm



DZF-SET1 FLOW 150 FLAT DUCT SET 1

consisting of:

- 2 x 1,000 mm flat duct tube 150 mm
- 1 x deflector with 900 mm round tube
- 1 x connecting sleeve
- 1 x end piece / transition element



DZF-SET2 FLOW 150 FLAT DUCT SET 2

consisting of:

- 3 x 1,000 mm flat duct tube, 150 mm
- 1 deflector with 900 mm round tube
- 2 x connecting sleeve
- 1 x end piece / transition element
- 1 x bend tube 90°, horizontal



DZMK WALL CONDUCT 150 INCL. THERMOBOX

Wall conduct with telescopic tube, incl. built-in heat retention system THERMOBOX and stainless steel external blind "E-Jal Col".

Guide vanes on the slats of the blind ensure optimised flow guidance.

consisting of:

- hose/tube socket, Ø 150 mm
- socket depth 24 mm
- installation depth 350 - 500 mm
- wall penetration, Ø approx. 155 mm
- blower door certified (required opening pressure >65 Pa)



DZTB THERMOBOX 150

Heat retention system THERMOBOX for retrofitting on existing Naber wall conducts and suitable for vertical mounting (exhaust duct via roof).

blower door certified (required opening pressure >65 Pa)



LNT-SET
LED RECESS LIGHT SET TAIN
2 LED recess lights Tain,
1 LED recess light Tain,
as master light with switch
1 power supply unit 30 W with 6-input
distributor and Color Switch

LNT
ACCENT LIGHT TAIN




LNAS-SET
LED RECESS LIGHT SET ALUSTAR U
2 LED recess lights Alustar U,
1 LED recess light Alustar U,
as master light with switch
1 power supply unit 30 W with
6-input distributor and Color Switch

LNAS
LED ACCENT LIGHT
ALUSTAR U



LN15M-SET
LED RECESS LIGHT SET DHL
2 LED recess lights DHL,
1 LED recess light DHL,
as master light with switch
1 power supply unit 30 W with
6-input distributor and Color Switch

LN15
LED ACCENT LIGHT DHL



LN3M-SET
LED RECESS LIGHT SET STRATOS
2 LED recess lights Stratos,
1 LED recess light Stratos,
as master light with switch
1 power supply unit 30 W with
6-input distributor and Color Switch

LN3
LED ACCENT LIGHT
STRATOS

Sales manual for furniture

QUALITY FEATURES & QUALITY SEAL

As of January 2019 nobilia will use only engineered wood products (for the manufacture of kitchen furniture), which meet the stringent U.S. EPA Formaldehyde Emissions Standard of the Toxic Substances Control Act (TSCA Title VI). With this step, our company fulfils the recent American requirements – in effect since June 1, 2018 – for the further reduction of formaldehyde emissions from derived timber products. The limit values from the TSCA Title VI correspond to those of the California “CARB Phase 2” standard and thus fall below even the European requirements for the E1 rating. The furniture is labelled with “TSCA Title VI compliant”.

CHAPTER 3: BATHROOM UNITS

With the 2019 collection, the range will be supplemented by base units and vanity units for bathroom designs. Bathroom units are available in a total of four carcass heights. The product range can be found in chapter 3 after the base units in special heights. The codes are as follows:

Bathroom base units BU* -28 / -36 / -43 / -58

Bathroom vanity units BW* -28 / -36 / -43 / -58

As well as our previous range, our bathroom base units also successfully passed TÜV Rheinland testing in accordance with the legal requirements of the (RAL-GZ 430/2) quality standards for kitchen and bath furniture.

CHAPTER 5: SHELVING SYSTEMS

Modern shelving systems offer a wide variety of planning options for customising room designs. From kitchen solutions to inviting designs to wardrobes and outfitting dressing areas – our new Infinity and Backlight shelving systems are incredible all-rounders. You will find our new shelving systems in their own category in chapter 5.

Country approvals

COUNTRY APPROVALS

for electrified accessories and built-in appliances

In the 2019 Sales Manual you will find detailed information regarding country approvals for built-in appliances, sockets and further electrified accessories.

For the country approvals for the individual built-in appliance brands, please refer to the respective chapter after the dimensional drawings. The information is based on the update from August 1, 2018.

For regular updates, check the nobilia Extranet.

Sales manual for electric appliances / sinks

NEW STRUCTURE IN CHAPTER 9, MICROWAVES & COOKER HOODS

To give a clearer overview, chapter 9 has been divided into individual chapters.

The new structure is divided into the following sub-chapters:

9.1 Microwaves, coffee machines

9.2 Downdraft extractor fans

9.3 Individual appliance hot plates

9.4 Chimney hoods elica, Airforce, Faber

CHAPTER 10: WASHBASINS AND TAPS

For bathroom designs, the 2019 collection has added washbasins and coordinating taps. These items have been integrated into chapter 10 built-in sinks & mixing taps.

Mixing taps

Built-in sinks
New features 2019



**CARLO NOBILI
HIGH PRESSURE SINGLE LEVER
MIXING TAP LIVE
BLACK MATT**

- connection for hot and cold water
- swivel spout, swivel range 360°
- aerator 24 mm diameter
- flexible connection hoses
- reinforcement panels



**CARLO NOBILI
HIGH PRESSURE SINGLE LEVER
MIXING TAP LIVE, WITH SPRAY HEAD
BLACK MATT**

- connection for hot and cold water
- pull-out swivel spout, swivel range 360°
- aerator 24 mm diameter
- flexible connection hoses
- reinforcement panels



**CARLO NOBILI
HIGH PRESSURE SINGLE LEVER
MIXING TAP SLIM**

- connection for hot and cold water
- swivel spout, swivel range 360°
- aerator 21.5 mm diameter
- flexible connection hoses
- reinforcement panels
- chrome (17785)
- chrome + black matt (17786)



**CARLO NOBILI
HIGH PRESSURE SINGLE LEVER
MIXING TAP SLIM, WITH SPRAY HEAD**

- connection for hot and cold water
- pull-out swivel spout, swivel range 180°
- with aerator
- flexible connection hoses
- reinforcement panels
- dual stream spray head
- chrome (17787)
- chrome + black matt (17788)



**CARLO NOBILI
HIGH PRESSURE SINGLE LEVER MIXING
TAP ROUND, WITH SPRAY HEAD**

- connection for hot and cold water
- pull-out swivel spout, swivel range 360°
- with aerator
- flexible connection hoses
- reinforcement panels
- chrome (17783)
- stainless steel appearance (17784)



**CARLO NOBILI
HIGH PRESSURE SINGLE LEVER MIXING
TAP MOVE, WITH SPRAY HEAD
BLACK MATT**

- connection for hot and cold water
- pull-out swivel spout, swivel range 360°
- aerator 27 mm diameter
- flexible connection hoses
- reinforcement panels

Surface-mounted basins and basin taps for bathroom designs

Built-in sinks
New features 2019



SYSTEMCERAM SURFACE-MOUNTED BASIN PATERA 40 CERAMIC / STONEWARE

- 1 basin 376 diameter
- grönland (87701)
- polar white (87702)
- warm stone (87703)
- slate (87704)
- nigra (87705)



SYSTEMCERAM SURFACE-MOUNTED BASIN LAVARA 60 CERAMIC / STONEWARE

- 1 basin 576 x 376 x 100 mm
- grönland (87716)
- polar white (87717)
- warm stone (87718)
- slate (87719)
- nigra (87720)



KLUDI WASHBASIN SINGLE LEVER MIXING TAP BOZZ CHROME

- connection for hot and cold water
- cache aerator M 16.5 x 1 mm
- flexible connection hoses
- ceramic cartridge with hot water limiter



KLUDI WASHBASIN SINGLE-LEVER MIXING TAP BOZZ, CHROME, FOR CONCEALED 2-HOLE WALL MOUNTING

- connection for hot and cold water
- aerator M 24 x 1 mm
- customised wall mounting,
- incl. KLUDI BOZZ pre-installation set (17712)





**LEONARD
FULLY INTEGRATED
DISHWASHER
LVS 1510**

- width 450 mm
- 5 programmes
- energy efficiency rating: A+
- drying efficiency rating: A



**PROGRESS
SLIM LINE COOKER HOOD
PDP 6020 E**

- Width: 600 mm
- energy efficiency: D
- fan efficiency: E
- lighting efficiency: E
- grease filter efficiency: C



**PROGRESS
CHIMNEY HOOD PDB *40 E**

- Width: 600, 900 mm
- energy efficiency: D
- fan efficiency: E
- lighting efficiency: E
- grease filter efficiency: C



**PROGRESS
CHIMNEY HOOD PDK *40 E**

- Width: 600, 900 mm
- energy efficiency: D
- fan efficiency: E
- lighting efficiency: E
- grease filter efficiency: C



**PROGRESS
CHIMNEY HOOD PDB *50 E**

- Width: 600, 900 mm
- energy efficiency: C
- fan efficiency: D
- lighting efficiency: A
- grease filter efficiency: C



**PROGRESS DESIGN LINE
INTEGRATED
FRIDGE/FREEZER
COMBINATION
PKGN 1845 CF**

- net capacity: 192 + 61 litres
- aperture height: 1780 mm
- energy efficiency rating: A++

Microwaves

Electric appliances
New features 2019



BEKO MICROWAVE MOB 17131 X

- stainless steel, hinged on left
- width: 600 mm
- aperture height: 362 + 3 mm



BEKO MICROWAVE MOB 20231 BG

- black, hinged on left
- width: 500 mm
- aperture height: 362 + 3 mm



BOSCH MICROWAVE HMT72M450

- stainless steel, hinged on left
- width: 500 mm
- Use only as stand-alone or built-under appliance.



SIEMENS MICROWAVE HF12M540

- stainless steel, hinged on left
- width: 500 mm
- Use only as stand-alone appliance.



JUNKER MICROWAVE JP 4119620

- black, hinged on left
- width: 600 mm
- aperture height: 362 - 365 mm



JUNKER MICROWAVE JP 4119560

- black, hinged on left
- width: 600 mm
- aperture height: 380 - 382 mm



JUNKER MICROWAVE WITH GRILL FEATURE JG 4119260

- black, hinged on left
- width: 600 mm
- aperture height: 362 - 365 mm



**JUNKER
BUILT-IN COOKER
JH 1100050**

- 5 operating modes
- energy efficiency: A



**JUNKER
BUILT-IN COOKER
JH 1300050**

- 5 operating modes
- high-speed heating
- 3D hot air
- energy efficiency: A



**JUNKER
BUILT-IN COOKER
JH 2306050**

- 5 operating modes
- high-speed heating
- 3D hot air
- retractable knob
- electronic clock
- energy efficiency: A



**JUNKER
BUILT-IN COOKER
JF 2377050, PYROLYSIS**

- 5 operating modes
- 10 automatic programmes
- high-speed heating
- 3D hot air
- retractable knob
- electronic clock
- energy efficiency: A



**JUNKER
BUILT-IN OVEN
JF 1100050**

- 5 operating modes
- energy efficiency: A



**JUNKER
BUILT-IN OVEN
JF 1300050**

- 5 operating modes
- high-speed heating
- 3D hot air
- energy efficiency: A



**JUNKER
BUILT-IN OVEN
JH 2306050**

- 5 operating modes
- high-speed heating
- 3D hot air
- retractable knob
- electronic clock
- energy efficiency: A



**JUNKER
BUILT-IN OVEN
JF 2346050, CATALYSIS**

- 5 operating modes
- high-speed heating
- 3D hot air
- retractable knob
- electronic clock
- energy efficiency: A



**JUNKER
BUILT-IN OVEN
JF 2377050, PYROLYSIS**

- 7 operating modes
- 10 automatic programmes
- high-speed heating
- 3D hot air
- retractable knob
- electronic clock
- energy efficiency: A



**JUNKER
BUILT-IN OVEN
JF 4319060, HYDROLYSIS**

- 12 operating modes
- 40 automatic programmes
- Softclose
- electronic clock
- high-speed heating
- 3D hot air
- convenient scroll operation
- energy efficiency: A



**JUNKER
BUILT-IN OVEN
JF 4379060, PYROLYSIS**

- 12 operating modes
- 40 automatic programmes
- Softclose
- electronic clock
- high-speed heating
- 3D hot air
- convenient scroll operation
- energy efficiency: A



**JUNKER
COMPACT OVEN
JC 4306060**

- for aperture height: 450 mm
- 7 operating modes
- 3D hot air
- retractable knob
- high-speed heating
- energy efficiency: A



**JUNKER
MICROWAVE-COMPACT
OVEN JC 4119860,
HYDROLYSIS**

- for aperture height: 450 mm
- 4 operating modes
- 15 automatic programmes
- energy efficiency: A



**JUNKER
CERAMIC GLASS HOT PLATE
JR 48IT16, INDIVIDUAL
APPLIANCE**

- width: 800 mm
- Flush-mounted installation



**JUNKER
CERAMIC GLASS HOT PLATE
JR 38IT56, INDIVIDUAL
APPLIANCE**

- width: 800 mm



**JUNKER
CERAMIC GLASS HOT PLATE
JI 36LT56, INDUCTION**

- width: 600 mm
- timer




**JUNKER
CERAMIC GLASS HOT PLATE
JI 38LT56, INDUCTION**

- width: 800 mm
- timer



**ELICA
CERAMIC GLASS HOT
PLATE WITH INDUCTION
AND DOWNDRAFT
EXTRACTOR FAN –
EXTRACTION MODE
NIKOLATESLA PRIME-A
CIRCULATING AIR MODE
NIKOLATESLA PRIME-F**

- frameless / black
- width: 830 mm
- Individual appliance, can be flush-mounted or work-top-mounted Values are for extraction mode:
- energy efficiency: A
- fan efficiency: A
- grease filter efficiency: C



**ELICA
CERAMIC GLASS HOT
PLATE WITH INDUCTION
AND DOWNDRAFT
EXTRACTOR FAN –
EXTRACTION MODE
NIKOLATESLA LIBRA-A
CIRCULATING AIR MODE
NIKOLATESLA LIBRA-F**

- frameless / black
- width: 830 mm
- Individual appliance, can be flush-mounted or work-top-mounted Values are for extraction mode:
- energy efficiency: A
- fan efficiency: A
- grease filter efficiency: C



**ELICA
CERAMIC GLASS HOT
PLATE WITH INDUCTION
AND DOWNDRAFT
EXTRACTOR FAN –
EXTRACTION MODE
NIKOLATESLA SWITCH-A
EXTRACTION MODE
NIKOLATESLA SWITCH-F**

- frameless / black
- width: 830 mm
- Individual appliance, can be flush-mounted or work-top-mounted Values are for extraction mode:
- energy efficiency: A+
- fan efficiency: A
- grease filter efficiency: C



**ELICA
CEILING-MOUNTED COOKER
HOOD HILIGHT IX/A/100**

- stainless steel
- Dimensions: 1,000 x 320 x 570 mm
- energy efficiency: A+
- fan efficiency: A
- lighting efficiency: B
- grease filter efficiency: F



**ELICA
CEILING-MOUNTED COOKER
HOOD CLOUD SEVEN
EXTRACTION MODE**

- stainless steel
- Dimensions: 900 x 240 x 500 mm
- energy efficiency: A++
- fan efficiency: A
- lighting efficiency: A
- grease filter efficiency: F



**ELICA
CEILING-MOUNTED COOKER
HOOD CLOUD SEVEN
CIRCULATING AIR MODE**

- stainless steel
- Dimensions: 900 x 240 x 500 mm
- energy efficiency: A++



**AIRFORCE
WALL-MOUNTED COOKER HOOD
INTIME BK**

- black matt glass / stainless steel
- energy efficiency: A
- fan efficiency: A
- lighting efficiency: A
- grease filter efficiency: B



**AIRFORCE
WALL-MOUNTED COOKER HOOD
F177-60 / -90**

- stainless steel
- width: 600, 900 mm
- energy efficiency: A
- fan efficiency: A
- lighting efficiency: A
- grease filter efficiency: C



**AIRFORCE
WALL-MOUNTED COOKER HOOD
F205-90 BK**

- stainless steel / black glass
- width: 900 mm
- energy efficiency: A
- fan efficiency: A
- lighting efficiency: A
- grease filter efficiency: C



**AIRFORCE
WALL-MOUNTED COOKER HOOD
F206-90 BK**

- stainless steel / black glass
- width: 900 mm
- energy efficiency: A
- fan efficiency: A
- lighting efficiency: A
- grease filter efficiency: C



**AIRFORCE
WALL-MOUNTED COOKER HOOD
F203-*0**

- stainless steel / black / black high gloss / matt
- width: 600, 900 mm
- energy efficiency: A
- fan efficiency: A
- lighting efficiency: A
- grease filter efficiency: B



**FABER
WALL-MOUNTED COOKER HOOD
CHLOE XL**

- cast iron
- Dimensions 1,100 x 800 – 1,220 x 400 mm
- energy efficiency: C
- fan efficiency: D
- lighting efficiency: B
- grease filter efficiency: B



**FABER
WALL-MOUNTED COOKER HOOD
GLAM-FIT****

- widths: 550, 800 mm
- Colours: black, white
- energy efficiency: A
- fan efficiency: A
- lighting efficiency: B
- grease filter efficiency: D



**FABER
ISLAND COOKER HOOD CHLOE
ISOLA XL**

- cast iron
- Dimensions 1,100 x 500 – 1,850 x 480 mm
- energy efficiency: C
- fan efficiency: D
- lighting efficiency: C
- grease filter efficiency: B

DISCONTINUED 31.12.2018

FRONTS | SURROUNDS | ELEMENTS | ACCESSORIES



nobilial

Fronts – discontinuation date 31.12.2018

Fronts
Discontinued 2018




SPEED 271
Sand




SPEED 260
Montana pine reproduction




RIO 374
Nautical pine reproduction




RIVA 896
Montana pine reproduction




RIVA 894
Ontario oak reproduction



TOUCH 335
Lacquered laminate,
Savannah supermatt



FLASH 501
Lacquered laminate,
red high gloss



FOCUS 472
Lacquer, black ultra high gloss



CREDO 766
Lacquered laminate, Savannah




XENO 660
Champagne metallic ultra
high gloss



XENO 670


Anthracite ultra high gloss

CARCASE



CARCASE COLOUR 074

Montana pine reproduction



CARCASE COLOUR 079


Savannah

COLOR CONCEPT



COLOR CONCEPT 246


Orange



COLOR CONCEPT 267

Oriental

METAL CONCEPT




METAL CONCEPT 137

Scratched steel reproduction


WORKTOPS (INCL. SLIM LINE & CONSOLE PANELS)



WORKTOP 074
Montana pine reproduction



WORKTOP 115
Storm granite décor reproduction




WORKTOP 134
Cornish slate décor




WORKTOP 158
Tempered steel décor



WORKTOP 219
Nautical pine reproduction




WORKTOP 222
Strombolian dark reproduction



WORKTOP 267
Oriental



WORKTOP 357
Paladina marble décor



WORKTOP 372
Terrazzo reproduction (Xtra)

NVM MOTIFS



NVM MOTIF 423
Décor Vektor Art III



NVM MOTIF 436
Décor fork design



NVM MOTIF 439
Décor tomato design



NVM MOTIF 447
Décor Memories from the Beach

STANDARD HANDLES

**HANDLE 043**

Metal handle Stainless steel finish

**HANDLE 167**

Metal handle Stainless steel finish

**HANDLE 264**


Metal handle Stainless steel finish / Brilliant chrome

**HANDLE 269**


Screw-on bar handle
Stainless steel finish

**HANDLE 325**

Metal handle Stainless steel finish

**HANDLE 051**

Metal handle Alpine white

**HANDLE 059**


Metal handle Stainless steel finish

**HANDLE 087**

Metal handle Brilliant chrome

**HANDLE 329**

Metal handle Brilliant chrome

**HANDLE 286**

Metal handle Stainless steel finish / Brilliant chrome

**HANDLE 518**

Metal handle Stainless steel finish

**HANDLE 519**

Metal handle Slate grey

**HANDLE 553**

Metal handle Antique copper colour

**HANDLE 569**

Metal handle Antique copper colour

Handles – discontinuation date 31.12.2018

Surround
Discontinued 2018

HANDLES SUBJECT TO SURCHARGE



HANDLE 217
Bow handle Stainless steel finish



HANDLE 609
Bow handle Stainless steel finish



HANDLE 613
Bow handle Chromed black



HANDLE 721
Bow handle Chromed black

RAILING HANDLE



HANDLE 790
Railing handle Stainless steel finish / Glazed bronze

BAR HANDLE



HANDLE 840
Bar handle Matt chrome

LINE N PROFILE



PROFILE 007
Sand




PROFILE 018
Savannah

UPRIGHT PANEL COLOURS




UPRIGHT PANEL COLOUR 074
Montana pine reproduction




UPRIGHT PANEL COLOUR 079
Savannah




UPRIGHT PANEL COLOUR 246
Orange




UPRIGHT PANEL COLOUR 267
Oriental




UPRIGHT PANEL COLOUR 137
Scratched steel reproduction



UPRIGHT PANEL COLOUR 115
Storm granite décor




UPRIGHT PANEL COLOUR 134
Cornish slate décor




UPRIGHT PANEL COLOUR 158
Tempered steel décor




UPRIGHT PANEL COLOUR 219
Nautical pine reproduction




UPRIGHT PANEL COLOUR 222
Strombolian dark reproduction



UPRIGHT PANEL COLOUR 357
Paladina marble décor




UPRIGHT PANEL COLOUR 372
Terrazzo reproduction



UPRIGHT PANEL COLOUR 335
Lacquered laminate, Savannah
supermatt




UPRIGHT PANEL COLOUR 501
Lacquered laminate,
red high gloss



UPRIGHT PANEL COLOUR 660
Champagne metallic ultra high
gloss



UPRIGHT PANEL COLOUR 670
Anthracite metallic ultra high gloss



UPRIGHT PANEL COLOUR 472
Lacquer, black ultra high gloss

DISCONTINUED ELEMENTS

- Panel wall set
- Open shelf upright unit made of 25 mm thick material
- Recessed shelves (replaced with new design)
- Cornice and light pelmet Slim Line

DISCONTINUED ACCESSORIES

- Organising system Deposito light (9514, 9515, 9516)
- Opening support mechanism Libero – replaced by new generation (9419)
- TV mount for flat-screen TVs with bracket for panel wall (6570)
- General conversion in sockets with regard to country-specific models
- Mounting set (9911, 9912)
=> conversion will take place using the old abbreviation and new model number

DISCONTINUED LIGHTING

- LED Recess light DHL (15014, 15015)
=> conversion to colour change will take place using the old abbreviation and new model number
- LED Recess light Stratos (15016, 15017)
=> conversion to colour change will take place using the old abbreviation and new model number
- LED Recess light (15018, 15019)
=> conversion to colour change will take place using the old abbreviation and new model number
- LED Recess light PAL (15025, 15026)
=> conversion to colour change will take place using the old abbreviation and new model number
- LED work area light Ibiza with Emotion dimmer (15029, 15030)
- LED wall light with mounting bracket for panel wall (6568, 6569)

DISCONTINUED COOKER HOODS

- Ceramic glass hot plate SLIM B20 with induction and downdraft extraction (88350)
- Ceramic glass hot plate ARIA E LUCE with induction and downdraft extraction – extraction mode (88349)
- Wall-mounted cooker hood F191-90 (88470)
- Wall-mounted cooker hood F129 (88408, 88420, 88410, 88423, 88415, 88425)
- Ceiling-mounted cooker hood CLOUD FIVE 90 IX (88134)
- Wall-mounted and island cooker hood SERENDIPITY (88520, 88521, 88531)
- Wall-mounted and island cooker hood Bio (88523, 88533)
- Corner cooker hood PREMIO ANGOLO IX (88207)

DISCONTINUED MIXING TAPS

- High pressure single lever mixing tap Vicario (17746)

Neuheiten - EN

92667



nobilia-Werke
J. Stickling GmbH & Co. KG

Waldstraße 53-57
33415 Verl

Phone: + 49 52 46 / 508-0
Fax: + 49 52 46 / 508-96 999

info@nobilia.de
www.nobilia.de

nobilia®